


SUPPLEMENT TO

The Gazette



of India

सत्यमेव जयते

No. 49]

NEW DELHI, SATURDAY, DECEMBER 13, 1952

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 15th November, 1952.

CHOLERA								SMALLPOX								PLAGUE								CHOLERA								SMALLPOX								PLAGUE							
C.				D.				C.				D.				C.				D.				C.				D.				C.				D.				C.				D.			
STATES PART (A) AND PART (C)																Bihar—contd.																															
Ajmer																Ranchi																															
No incidence																Manbhum																															
Assam																Palamau																															
Cachar																Singhbhum																															
Khasi and Jaintia Hills																TOTAL																															
Naga Hills																(Estd. mid-year pop. 38,839																															
Goalpara																thousands.)																															
Kamrup																Total for w/e 8-11-52																															
Darrang																Total for w/e 1-11-52																															
Nowgong																7-yearly mean for the week.																															
Sibsagar																Bihar—contd.																															
Lakhimpur																Bombay																															
Sadiya & Frontier Tracts																Greater Bombay																															
Garo Hills																Ahmedabad																															
TOTAL																Kaira																															
(Estd. mid-year pop. 9,334																Broach																															
thousands).																Panoh Mahals																															
Total for w/e 8-11-52																Surat																															
Total for w/e 1-11-52																Thana																															
7-yearly mean for the week.																Satara South																															
Bhopal																Ahmednagar]																															
No incidence																East Khandesh																															
Bihar																West Khandesh																															
Patna																Amreli																															
Gaya																Nasik																															
Shahabad																Poona																															
Jaran																Satara North																															
Champeran																Sholapur																															
Muzaffarpur																Sabarkantha																															
Darbhanga																Belgaum																															
Monghyr																Bijapur																															
Bhagalpur																Dharwar																															
Saharsa																Kanara																															
Purnea																Ratnagiri																															
Santal Pargana																Kolaba																															
Hazaribagh																Kolhapur																															

Explanation of Symbols used :—C.—Cases ; D.—Deaths.

Reported attacks and deaths from cholera, small pox, plague and typhus in districts in India during the week ending the 15th November, 1952—*contd.*

CHOLERA							CHOLERA						
SMALLPOX							SMALLPOX						
PLAGUE							PLAGUE						
C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.	D.	
Orissa— <i>contd.</i>							Uttar Pradesh— <i>contd.</i>						
Ganjam Agency	Aligarh
Koraput	Mathura
Keonjhar	Agra
Dhenkanal	Mainpuri
Bolangir Patna	Etah
Sundergarh	Bareilly
Kalahandi . . .	13	7	Bijnor
Mayurbhanj	Budaun	5	2
TOTAL . . .	133	68	10	Moradabad
(Estd. mid-year pop. 14,761 thousands).							Shahjahanpur
Total for w/e 8-11-52 . . .	178	116	20	1	Pilibhit
Total for w/e 1-11-52 . . .	147	78	50	4	Farrukhabad
7-yearly mean for the week . . .	69	45	42	8	Etawah
Punjab (I).							Kanpur
Hissar	Fatehpur
Rohtak	4	1	Allahabad
Gurgaon	Jhansi
Karnal	3	Jalaun
Ambala	Hamirpur
Simla	Banda
Kangra	Banaras
Hoshiarpur	2	Mirzapur
Jullundur	Jaunpur
Ludhiana	1	Ghazipur
Ferozepur	Ballia
Amritsar	6	3	Gorakhpur
Gurdaspur	Deoria . . .	20	6
TOTAL	13	7	Basti . . .	13	10
(Estd. mid-year pop. 12,645 thousands)							Azamgarh	3	..
Total for w/e 8-11-52	13	3	Nainital
Total for w/e 1-11-52	9	4	Almora
7-yearly mean for the week	8	3	Garhwal
Tripura							Lucknow	4	2
No incidence.							Unao
Uttar Pradesh							Rae Bareilly . . .	6	3
Dehra Dun	Sitapur
Saharanpur	Hardoi
Muzaffarnagar	Kheri
Meerut	Faizabad
Bulandshahr	Gonda
							Bahraich
							Sultanpur

Explanation of symbols used: C.—Cases, D.—Deaths.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 15th November 1952--*contd.*

CHOLERA							CHOLERA						
SMALLPOX							SMALLPOX						
PLAGUE							PLAGUE						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						
O.							O.						
D.							D.						

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 15th November 1952—*contd.*

CHOLERA								SMALLPOX								PLAGUE								CHOLERA								SMALLPOX								PLAGUE							
C.				D.				C.				D.				C.				D.				C.				D.				C.				D.				C.				D.			
Patiala and East Punjab States Union																Travancore-Cochin																															
TOTAL			5			TOTAL			5		4																
Rajasthan																Grand total for States Part (B)																															
Information not received.																Grand total for States Parts (A), (B) & (C)																															
Saurashtra																114																															
Gohilwad																61																															
Halar																33																															
Madhya Saurashtra																7																															
Sorath																11																															
Zalawad																5																															
TOTAL																21																															

Grand total for States Part (B)

Grand total for States Parts (A), (B) & (C)

Travancore-Cochin

TOTAL

114 61 33 7 11 5

1,833 839 259 57 163 21

Saurashtra

POLIO MYELITIS

(Information based on patients treated in hospitals in important towns.)

Places

Period

Cases

Punjab (I)

1—15 Nov. 1952

2 (Paralytic)

Punjab (I)
Supplementary
information 16—

31 Oct. 1952

1 (Non-paralytic)

Explanation of Symbols used C.—Cases; D.—Deaths.

NEW DELHI-2 (INDIA) :

The 8th December, 1952.

K. MITRA.

for Registrar General, India.

NATIONAL SAVINGS CERTIFICATES

Available in three different series, maturing after 5, 7 and 12 years. The yield is 3%, 3.57% and 4.16% simple interest, respectively, at maturity. Thus, in the 12 year-certificates money increases by 50% on maturity. Interest is free of income-tax and super-tax and is not taken into account in arriving at the total taxable income.

The certificates are obtainable from Post Offices doing Savings Bank business in denominations of Rs. 5, 10, 50, 100, 500, 1,000 and 5,000. An individual can invest upto Rs. 25,000, and two joint holders upto Rs. 50,000/-.

Full particulars obtainable from Post Offices, District Organisers of the Small Savings Scheme, Assistant National Savings Officers, Provincial National Savings Officers, or the National Savings Commissioner, Simla.

Deposits accepted in multiples of Rs. 100/- upto a maximum of Rs. 25,000 for a single depositor and Rs. 50,000 for two persons jointly. Interest at 3½% per annum (free of all taxes and not taken into account in assessing the total taxable income) is paid or remitted to the depositor's address every year.

Deposits accepted at offices of the Reserve Bank of India at Bombay, Calcutta, Delhi & Madras, and Branches of The Imperial Bank of India in other places transacting treasury business.

Full particulars obtainable from District Organisers of the Small Savings Scheme, Assistant National Savings Officers, Provincial National Savings Officers, or the National Savings Commissioner, Simla.

3½%
TEN-YEAR
TREASURY SAVINGS
DEPOSITS

AC.275

TODAY'S BEST INVESTMENT FOR SMALL SAVERS

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 15th November, 1952

Town		Mid-1952 Popn. Est. (000)	Deaths from :—											Total	D.R.*	I.D.		
			B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.							
STATES—(Parts A and C)																		
Ajmer																		
Ajmer	:	:	:	:	203	110	25.6	13	3	12	..	36	9.2	9	
Beawar	:	:	:	:	53	19	18.6	5	1	7	..	14	13.7	4	
TOTAL				:	:	256	119	24.2	18	4	19	..	50	10.2	13
Assam Bhopal Bihar				}	Returns not received.													
Bombay																		
Ahmedabad	:	:	:	:	814	793	50.7	28	28	148	2	393	25.1	134	
Ahmednagar	:	:	:	:	83	54	33.7	2	1	4	..	17	10.7	2	
Amalner	:	:	:	:	46	27	30.5	2	7	7.9	1	
Bagalkot	:	:	:	:	33	26	40.9	1	..	2	..	9	14.2	..	
Baroda	:	:	:	:	219	228	54.1	48	1	11	3	95	22.6	15	
Barsi	:	:	:	:	43	31	37.5	4	1	1	..	25	30.2	3	
Belgaum	:	:	:	:	103	84	42.4	3	2	3	..	33	16.7	8	
Bhusawal	:	:	:	:	56	41	38.1	5	1	2	..	13	12.1	3	
Bijapur	:	:	:	:	68	58	44.3	7	2	5	2	24	18.4	4	
Broach	:	:	:	:	64	60	48.8	12	..	6	1	32	26.0	5	
Cambay†	:	:	:	:														
Chalisgaon	:	:	:	:	31	20	33.5	5	..	1	..	7	11.7	4	
Dharwar	:	:	:	:	69	41	30.9	2	2	2	19	14.3	1	
Dhulia †	:	:	:	:														
Gadag-Betgeri	:	:	:	:	67	30	23.3	4	1	7	..	26	20.2	3	
Godhra	:	:	:	:	40	50	65.0	4	..	3	..	14	18.2	5	
Greater Bombay	:	:	:	:	2,987	2,125	36.3	4	25	140	1	707	12.3	219	
Hubli	:	:	:	:	134	56	21.7	4	..	4	2	19	7.6	2	
Jalgaon	:	:	:	:	71	38	27.8	4	..	4	..	17	12.5	6	
Kalyan	:	:	:	:	62	22	18.5	1	..	3	..	6	5.0	..	
Kolhapur	:	:	:	:	143	117	42.5	12	2	13	..	54	19.6	10	
Nandurbar	:	:	:	:	31	15	25.2	2	..	6	10.0	2	
Malegaon	:	:	:	:	57	54	49.3	16	1	4	3	25	22.8	1	
Miraj	:	:	:	:	41	14	17.8	1	1	3	..	14	17.8	..	
Nadiad	:	:	:	:	65	64	50.4	19	1	25	20.0	10	
Nasik	:	:	:	:	103	86	43.4	1	3	7	..	30	15.1	9	
Navasari	:	:	:	:	46	31	35.0	12	2	17	19.2	7	
Pandharpur	:	:	:	:	41	32	40.6	9	4	6	..	23	29.2	8	
Patan	:	:	:	:	44	60	70.9	5	..	1	..	20	23.6	8	
Poona	:	:	:	:	516	291	29.3	5	8	45	13	170	17.1	62	
Sangli	:	:	:	:	52	43	43.0	7	3	1	..	22	22.0	6	
Satara	:	:	:	:	38	27	36.9	3	1	1	..	21	28.7	5	
Sholapur	:	:	:	:	274	300	56.9	10	5	43	1	114	21.6	39	
Surat	:	:	:	:	230	225	50.9	20	4	14	..	93	21.0	29	
Thana†	:	:	:	:														
TOTAL				:	6,671	5,143	40.0	258	97	486	32	2,097	16.3	616	
Delhi State																		
Delhi City	:	:	:	:	955	673	36.6	..	2	..	73	9	38	1	162	8.8	54	
New Delhi	:	:	:	:	304	161	27.6	9	1	16	4	54	9.2	10	
TOTAL				:	1,259	834	34.4	..	2	..	82	10	54	5	216	8.9	64	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 15th November 1952—*contd.*

Town	Mid. 1952 Popn. Est. (000)	B.	B.R.*	Deaths from :—									Total ¹	D.R.*	ID
				C.	S.	P.	F.	D.D.	R.D.	M.D.					
Madhya Pradesh —contd.															
Jabalpur	212	107	26.2	19	7	6	..	58	14.2	7		
Khandwa	54	26	25.0	7	14	13.5	..		
Nagpur†															
Raipur	93	36	20.1	—	—	—	5	—	1	..	6	3.4	..		
Sagar†															
Wardha †															
Yeotmal	37	49	68.9	—	3	15	21.1	6		
TOTAL	633	419	34.1	—	71	13	16	4	203	16.5	33		
Madras															
Adoni	56	44	40.9	—	4	..	12	11.1	2		
Ambur	42	34	42.1	..	—	—	3	1	1	..	8	9.9	1		
Anakapalle†															
Aruppukotai	50	55	57.2	2	4	..	2	18	18.7	4		
Bellary	72	51	36.3	2	2	8	2	27	19.2	2		
Bhimevaram	32	25	40.6	1	1	8	13.0	2		
Gannanore	43	21	25.4	—	—	—	7	..	1	..	15	18.1	1		
Chirala	37	21	27.3	3	..	1	..	14	18.2	4		
Chittoor	40	41	53.3	2	..	2	..	25	32.5	6		
Coimbatore	203	234	60.0	3	6	15	..	92	23.6	25		
Cuddalore	69	60	45.2	..	—	—	1	1	3	1	25	18.8	3		
Cuddappah	39	28	37.3	3	..	—	2	..	5	..	19	25.3	1		
Dindigul	82	90	57.1	3	..	—	4	1	6	1	38	24.1	10		
Eluru	90	57	32.9		5	1	4	3	36	20.8	4		
Erode	60	69	59.8	13	3	3	3	1	42	36.4	5		
Guddiyattam	47	41	45.4	—	4	1	3	..	16	17.7	3		
Guntur†															
Kakinada	103	87	43.9	8	1	39	19.7	13		
Kancheepuram	86	91	55.0	4	5	10	..	45	27.2	15		
Karaikudi †															
Karur	44	36	42.5	2	..	4	..	10	22.5	4		
Kashikode	162	141	45.3	1	3	..	3	3	61	19.6	15		
Kumbakonam	95	90	49.3	..	—	..	2	4	11	..	41	22.4	5		
Kurnool	62	86	72.1	..	—	—	..	2	8	1	28	23.5	8		
Madras	1,488	1,599	55.9	..	2	—	86	107	198	1	822	28.7	218		
Mangalore	122	99	42.2	3	2	3	..	29	12.4	2		
Masulipatnam	81	50	32.1	2	1	2	1	25	16.1	3		
Mathurai	378	265	36.5	5	11	7	40	1	159	21.9	34		
Mayuram	45	31	35.8	2	1	..	3	1	28	32.4	6		
Malapalayam	38	11	15.1	—	3	3	8	10.9	7		
Nagapattinam	59	44	35.8	1	1	4	1	27	23.8	6		
Nellore	85	98	60.0	6	1	3	3	54	33.0	13		
Ootacamund	43	29	35.9	1	3	5	1	18	22.3	3		
Palyamkottai	41	45	57.1	2	2	..	1	12	15.2	6		
Palghat	71	47	34.4	—	3	1	5	..	24	17.6	3		
Proddatur	38	29	39.7	1	2	8	10.9	1		
Pudukottai	46	27	30.5	3	4	2	..	13	14.7	1		
Rajahmundry	109	82	38.8	3	..	2	..	39	18.4	10		
Rajapalayam	63	54	44.6	1	7	10	..	36	29.7	11		
Salem	212	424	103.5	—	24	6	11	4	102	24.9	9		
Srivilliputtur	41	29	36.8	2	3	4	..	25	31.7	7		
Tanjore	105	90	44.6	—	2	2	..	35	17.3	4		
Tellohetry	63	47	38.8	—	2	..	2	1	15	12.4	2		
Tenali	60	39	33.8	1	3	..	22	19.1	7		
Tiruchirappalli	226	131	30.1	4	17	1	65	15.0	11		
Tirunelveli	75	62	43.0	3	..	21	14.6	7		
Tiruppur	55	59	55.8	4	..	16	15.1	4		
Tiruvannamalai	31	40	67.1	1	2	4	..	19	31.8	4		
Tuticorin	101	84	43.3	1	4	4	1	31	16.0	14		
Vaniyambadi	40	25	32.5	1	2	1	11	14.3	1		
Vellore	111	98	45.9	1	3	9	..	49	23.0	7		
Vijayavada	171	61	18.6	4	1	4	1	34	10.3	8		
Virudunagar	48	76	82.8	3	5	..	18	19.5	3		
Visakhapatnam	113	72	33.1	2	3	7	2	40	18.4	7		
Vizianagram	69	39	29.4	5	5	3	..	32	24.1	6		
TOTAL	5,742	5,288	47.9	27	2	..	230	211	453	36	2,465	22.3	568		

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 15th November 1952—*contd.*

Town	Mid.-1952 Popn.-Est. (000)	B.	Deaths from :—										Total	D.R*.	I.D.
			E.P. [†]	C.	S.	F.	F.	D.D.	R.D.	M.D.					
Orissa															
Berhampur	65	50	41.4	5	2	3	..	18	14.4	3		
Cuttack	106	86	42.3	0	4	2	1	41	20.2	2		
Puri	50	53	55.2	13	5	3	1	33	34.4	5		
TOTAL	221	189	44.5	27	11	8	2	92	21.7	10		
Punjab (I)															
Ambala	59	49	43.4	5	2	3	..	15	13.3	2		
Amritsar† Batala	57	67	61.5	5	1	7	6.4	4		
Bhiwani	53	47	46.4	15	1	2	..	21	20.7	5		
Ferozepore	41	30	45.9	1	..	1	..	6	7.7	..		
Hissar	36	30	43.5	1	2	5	..	11	16.0	6		
Hoshiarpur	47	36	40.0	7	9	10.0	4		
Jullundur Karnal†	176	119	35.4	14	..	2	..	25	7.4	7		
Ludhiana† Moga Panipat†	38	40	55.0	1	..	5	..	6	8.3	1		
Pathankot	31	20	33.7	1	..	1	1	3	5.1	1		
Rewari	35	19	28.4	6	3	3	..	13	19.4	6		
Rohtak	73	66	47.3	17	2	2	..	26	18.6	10		
Simla† Sonepat	31	26	43.8	4	..	1	..	8	13.5	5		
TOTAL	677	555	42.0	77	11	25	1	150	11.6	51		
Uttar Pradesh															
Agra	344	455	60.2	4	78	..	156	28.7	43		
Allahabad	322	250	40.6	1	2	34	2	76	12.3	16		
Amroha	59	60	53.2	5	3	14	1	31	27.5	8		
Bahraich	45	19	22.1	3	2	2	..	7	8.1	..		
Ballia	32	19	31.0	1	1	1.6	..		
Banaras	350	249	37.2	51	13	8	..	168	25.1	38		
Banda† Bareilly Basti†	197	98	26.0	15	1	14	..	43	11.4	7		
Bijnor	31	15	25.3	1	5	2	..	11	18.6	2		
Budaun Bulandshahr †	53	50	49.3	16	1	7	..	33	32.6	10		
Chandauli	38	35	48.2	5	..	3	..	15	20.6	6		
Dehra Dun	124	40	16.0	3	1	5	..	16	6.7	3		
Etawah	61	44	37.7	8	4	10	..	28	24.0	8		
Faizabad-Ajodhya	79	38	25.1	5	9	6.0	..		
Farrukhabad-Fatehgarh	78	62	42.7	12	8	2	..	42	28.9	14		
Ferozabad	69	39	29.6	1	1	2	..	8	6.1	1		
Ghaziabad	40	38	49.7	5	..	1	..	6	7.8	1		
Ghaziipur† Gonda	33	15	23.8	6	7	11.1	..		
Gorakhpur	123	70	28.6	7	2	4	1	19	7.8	4		
Hapur	45	43	50.0	4	4	4	..	14	16.3	6		
Hardwar	58	35	31.6	12	3	9	..	37	33.4	8		
Hathras	58	68	61.3	8	3	7	..	21	18.9	3		
Jaunpur	53	33	32.6	3	..	3	..	11	10.9	..		
Jhansi	109	84	40.3	32	2	4	..	51	24.5	11		
Kanpur	662	404	31.9	135	37	51	9	404	31.9	140		
Kasganj† Khurja	39	27	36.2	5	1	3	1	15	20.1	2		
Koil-Aligarh	141	77	28.6	16	9	10	1	52	19.3	10		
Lucknow	457	338	38.7	34	10	22	1	144	16.5	28		
Mathura	101	131	67.8	17	1	7	..	38	19.7	13		
Mau-Nath Bhanjan	35	40	59.8	5	15	22.4	6		
Meerut	167	150	47.0	10	2	18	..	40	12.5	10		
Mirzapur-Vindhyachal	90	88	51.1	18	4	0	2	40	23.2	10		

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 15th November, 1952—*contd.*

Town	Mid.-1952 Popn.-Est. (000)	Deaths from :—										Total	D.R.*	I.D.
		B.	B.R*	C.	S.	P.	F.	D.D.	R.D.	M.D.				
Uttar Pradesh— <i>contd.</i>														
Moradabad	158	150	49.6	15	5	21	2	70	23.2	13	
Muzaffarnagar	67	46	35.9	8	3	20	15.6	6	
Pilibhit	45	27	31.4	1	..	12	13.0	5	
Rampur	140	50	18.7	4	1	3	..	14	6.2	1	
Saharanpur	147	127	45.2	50	1	4	1	66	23.5	16	
Sambhal	62	63	53.1	9	1	11	..	25	21.1	12	
Shahjahanpur	99	58	30.6	12	3	6	..	27	14.3	3	
Sitapur	46	29	33.0	8	2	3	..	18	20.5	3	
TOTAL	4,860	3,664	39.4	550	141	382	21	1,810	19.5	467	

West Bengal

Return not received.

STATES (Part B)

Jammu and Kashmir

Return not received.

Madhya Bharat

Greater Gwalior	249	31	6.5	4	2	4	1	23	4.8	1
Indore City†													
Ratlam City†													
Ujjain City	136	40	15.3	5	3	13	2	61	23.3	17
TOTAL	385	71	9.6	9	5	17	3	84	11.3	18

Mysore State

Bangalore City	825	517	32.6	..	1	..	43	46	24	..	259	16.3	..
Davanagere	59	20	17.6	3	..	10	8.8	..
Kolar Gold Fields	163	191	60.9	1	5	4	3	..	37	11.8	..
Mysore City	257	179	36.2	5	3	1	1	51	10.3	..
TOTAL	1,304	907	36.2	1	1	..	53	53	31	1	357	14.2	..

PEPSU

Bhatinda	35	32	47.5	4	..	1	..	5	7.4	..
Malerkotla†													
Patiala	100	67	34.8	11	1	3	..	26	13.5	7
TOTAL	135	99	38.1	15	1	4	..	31	11.9	7

Rajasthan

Return not received.

Saurashtra

Bhavnagar	143	73	26.4	27	0	3	..	61	22.2	12
Dhoraji	45	31	35.8	6	..	2	..	12	13.9	..
Gondal †													
Jamnagar	109	107	51.0	12	..	2	..	19	9.1	4
Junagadh	83	36	20.7	8	1	4	..	24	11.5	6
Morvi	41	12	15.2	3	..	1	..	4	5.1	2
Porbandar	60	17	16.7	10	1	15	13.0	5
Rajkot	141	92	33.9	18	2	6	..	35	12.9	15
Surendra Nagar †													
Veraval	42	10	12.4	4	..	1	..	5	6.2	..
TOTAL	644	378	30.5	88	10	19	..	175	14.1	44

Travancore-Cochin

Alleppey	124	122	51.1	1	..	6	..	24	10.1	2
Changanacherry	37	31	43.6	1	..	2	..	6	8.4	..
Ernakulam	64	48	39.0	1	..	20	16.3	5
Kottayam	46	31	35.0	6	6.8	1
Mattancherry	76	66	45.2	3	7	4.8	2
Nagercoil	83	26	16.3	6	..	1	..	13	8.1	..
Quilon	68	56	42.8	1	..	4	1	12	9.2	3
Trichur	71	58	42.5	1	1	1	3	16	11.7	..
Trivandrum City	195	154	41.1	6	7	16	4	57	15.2	5
TOTAL	764	592	40.2	19	8	31	8	161	11.0	18

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 15th November, 1952—*contd.*

Deaths from :—

Town	Mid-1952 Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
------	---------------------------------	----	-------	----	----	----	----	------	------	------	-------	-------	------

ARREAR RETURNS

For w/e the 11th October 1952

Bihar

Arrah	67	9	7.0	2	—	—	2	1	6	4.7	..
Bettiah	36	7	10.1	..	—	—	2	2	2.0	..
Bihar†													
Bhagalpur†													
Dhanbad	38	3	5.3	—	3	5.3	..
Darbhanga	86	40	24.2	1	..	—	3	..	1	..	14	8.5	..
Dinapur-Nizamat	44	13	15.5	—	4	..	3	..	9	10.7	..
Gaya†													
Jamalpur	45	11	12.7	—	1	1	1.2	..
Jamshedpur	227	103	23.6	2	1	..	17	3.8	2
Katihar	45	5	6.8	3	4	4.6	..
Monghyr	75	8	5.5	2	5	3.5	..
Muzaffarpur	77	15	10.1	6	1	20	13.5	..
Patna†													
Purulia	43	5	5.6	1	2	2.3	..
Ranchi	113	12	5.5	6	1	15	6.9	..
TOTAL	896	231	13.4	3	30	4	5	1	98	5.7	2

Bihar

For w/e the 8th October, 1952

Arrah	67	8	4.7	6	2	2	..	—	11	8.5	..
Bettiah	36	38	54.7	5	..	2	—	24	34.6	..
Bihar	64	12	9.7	3	..	—	..	3	2.4	..
Bhagalpur	118	17	7.5	7	11	4.9	..
Chapra	66	9	7.1	5	2	1	..	8	6.3	..
Dhanbad	38	12	17.8	1	1	2	2.9	..
Darbhanga	86	54	32.7	5	1	11	6.7	3
Dinapur	44	14	16.7	3	—	8	9.5	..
Gaya †													
Jamalpur	45	16	19.5	1	1	1.2	..
Jamshedpur	227	125	28.6	—	—	—	1	2	4	..	16	3.7	2
Monghyr	75	4	2.8	3	..	1	..	7	4.9	..
Muzaffarpur	77	3	1	10	6.8	..
Patna†													
Purulia	43	5	6.1	—	2	2	2.4	..
Ranchi	113	5	2.3	1	15	6.0	..
TOTAL	1,099	319	15.1	6	42	9	8	..	129	6.1	5

Rajasthan

For w/e the 25th October, 1952

Jaipur	307	187	31.7	40	8	68	..	130	22.0	46
Alwar	59	46	40.5	5	2	22	19.4	..
Bharatpur	38	24	32.8	4	2	10	13.7	2
Tonk	43	5	6.0	4	2	4	..	19	23.0	10
Bikaner	117	29	12.9	8	3	12	..	29	12.9	1
Churu	43	4	4.8	2	2	2.4	..
Ganganagar	39	2	2.7	2	4	5.3	..
Kotah	66	13	10.2	14	..	2	2	18	14.2	2
Udaipur	94	3	1.7	5	1	4	1	11	6.1	2
TOTAL	806	313	20.1	84	16	90	5	245	15.8	63

Bombay

Ahmednagar . w/o 27-9-52	83	67	41.2	2	5	6	..	20	12.5	3
Miraj . w/e 4-10-52	41	12	15.2	2	6	..	18	22.8	..
Miraj w/e 11-10-52	41	18	22.8	6	..	9	11.4	..
Miraj w/e 18-10-52	41	8	10.1	5	..	10	12.7	..
Miraj w/e 1-11-52	41	14	17.2	7	8.9	..
Miraj w/e 8-11-52	41	3	3.7	1	1	6	..	11	14.0	..
Gadag Betgori . w/e 8-11-52	67	35	27.2	10	..	3	2	32	24.8	5
Dharwar . w/e 30-8-52	69	42	31.7	4	1	2	2	34	25.0	3

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 15th November, 1952—*conold*.

Town	Mid.-1952 Popn. Est. (000)	Deaths from :—										Total	D.R.*	I.D.		
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.						
West Bengal																
For w/e the 8th November, 1952																
Asansol	78	4	2.7	1	0.7	
Baidyabati	31	16	27.0	1	1	..	3	5.1	..	1	..	
Bally	62	13	11.0	2	3	2.5	
Bankura	49	12	12.8	5	5.3	
Bansberia†	
Baranagar	80	63	41.2	5	4	1	..	27	17.6	
Basirhat	36	13	18.9	..	3	3	4.4	
Berhampur	58	39	35.2	1	1	15	13.5	
Bhadreswar	33	18	28.5	2	2	5	7.9	..	1	..	
Bhatpara	136	47	18.1	1	11	..	2	..	38	14.6	..	16	..	
Budge-Budge	32	28	45.8	1	3	4.9	
Burdwan	77	28	19.0	4	1	1	..	10	6.8	
Calcutta	2,609	1,490	29.9	9	92	80	195	7	737	14.8	..	220	..	
Champdani	38	39	53.7	1	..	4	5.5	
Cooch-Behar†	
Darjeeling	35	20	29.9	1	1	1	..	7	10.5	
English-Bazar†	
Garden Reach	114	27	12.4	4	11	5.0	..	2	..	
Halisahar	37	8	11.3	2	2.8	
Hooghly-Chinsura	57	45	41.3	2	3	..	1	14	12.8	..	3	..	
Howrah	452	275	31.8	4	9	21	52	..	161	18.6	..	56	..	
Jalpaiguri†	
Kamarhati†	
Kanchrapara	61	11	9.4	1	1	1	3	2.6	
Krishnagar	50	4	4.2	2	3	3.1	
Midnapore†	
Nabadwip	59	31	27.5	6	12	10.6	
Naihati†	
North Barrackpore	34	6	9.2	1	2	..	3	3.1	
Panihati†	
Santipur	44	27	32.1	2	..	2	2.4	
Serampore	76	47	32.3	6	3	1	1	23	15.8	
Siliguri	35	9	13.4	1	1	1.5	
South Dum-Dum	68	7	5.4	
South Suburban	108	66	32.0	1	2	4	..	16	7.7	..	5	..	
Titagarh	72	41	29.8	22	..	2	..	27	10.6	..	4	..	
Tollygunge	163	16	5.1	
TOTAL	4,784	2,450	26.8	16	3	..	172	120	265	9	1,139	12.4	307	

Madhya Bharat*For w/e the 8th November, 1942*

Greater Gwalior	249	28	5.8	1	..	2	..	13	8.3	3	..
Ujjain City	136	50	19.1	3	..	10	4	56	21.4	16	..
Ratlam City	66	25	19.6	13	..	9	..	36	23.3	4	..
TOTAL	451	103	12.1	17	..	21	4	105	12.1	23	..

Madhya Pradesh

Wardha	w/e 12-7-52	41	30	38.0	3	..	1	..	7	8.9	..
Hinganghat	w/e 12-7-52	34	15	22.9	1	8	12.2	..
Wardha	w/e 19-7-52	41	16	20.3	3	1	2	..	7	8.9	..
Hinganghat	w/e 19-7-52	34	14	21.4	2	..	5	..	10	15.3	..
Wardha	w/e 26-7-52	41	16	20.3	3	..	2	..	8	10.1	..
Hinganghat	w/e 26-7-52	34	43	65.8	8	3	1	..	13	19.9	..
Wardha	w/e 2-8-52	41	18	22.8	3	1	1	..	6	7.6	..
Hinganghat	w/e 2-8-52	34	13	19.9	3	..	1	..	6	9.2	..
Wardha	w/e 9-8-52	41	20	25.4	2	5	6.3	..
Hinganghat	w/e 9-8-52	34	8	12.2	2	1	7	10.7	..
Yeotmal	w/e 18-10-52	37	40	56.2	5	2	19	26.7	4
Yeotmal	w/e 25-10-52	37	44	61.8	3	1	1	..	16	22.5	6
Jabalpur	w/e 1-11-52	212	137	33.6	5	14	8	..	63	15.5	8
Jabalpur	w/e 8-11-52	212	134	32.9	17	4	8	..	57	14.0	10
Yeotmal	w/e 8-11-52	37	37	52.0	2	..	1	1	22	30.9	6

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births; B. R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths).

REMARKS

The figures of births and deaths shown in this statement for week ending the 15th Nov. 1952, relate to 175 towns with an estimated population of 23,556 thousands. The total number of towns is 281 and their population is 34,764 thousands. Thus 62% of the total number of towns representing 68% of the total population is covered in this statement. The numbers of births and deaths recorded in these towns were 18,258 and 7,891 representing birth and death rates of 40.3 and 17.4 per thousand of population respectively.

(A) States (Parts A & C).—The data here relate to 150 towns with an estimated population of 20,324 thousands. Information about Assam, Bihar and West Bengal could not be included. The total number of towns is 235 and their population is 29,570 thousands. Thus 64% of the total number of towns representing 69% of the total population is covered. The numbers of births and deaths recorded in these towns were 16,211 and 7,083 representing birth and death

rates of 41.5 and 18.1 per thousand of population respectively. The table at the end gives the position by States.

No town recorded a high death rate of 50 or over per thousand of population.

(E) States (Part B).—The data here relate to 25 towns with an estimated population of 3,232 thousands. The total number of towns is 46 and their population is 5,194 thousands. Thus 54% of the total number of towns representing 62% of the total population is covered. The numbers of births and deaths recorded in these towns were 2,047 and 808 representing birth and death rates of 32.9 and 13.0 per thousand of population respectively.

No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/e 15-11-52		Corresponding w/e last year.		Corresponding mean during the previous 5-year period.	
	B. R.	D. R.	B. R.	D. R.	B. R.	D. R.
Ajmer . . .	24.2	10.2	54.7	10.0	46.1	17.6
Bombay . . .	40.0	16.3	42.2	16.9	41.3	22.4
Delhi . . .	34.4	8.9	61.8	13.0	53.0	12.7
Madhya Pradesh . . .	34.1	16.5	38.1	17.4	42.1	21.5
Madras . . .	47.9	22.3	43.4	23.3	45.5	25.0
Orissa . . .	44.5	21.7	34.9	20.2	41.1	25.5
Punjab (I) . . .	42.9	11.6	42.3	9.8	40.0	12.8
Uttar Pradesh . . .	39.4	19.5	42.0	19.4	42.5	22.3
India (only States Parts A & C)	41.5	18.1	43.1	18.6	39.9	20.1

NEW DELHI-2 (INDIA); }
The 8th December, 1952. }

K. MITRA,
for Registrar, General, India.